

hybrid LIFESTYLE



www.meghdootlaminart.com



meghdoot
LAMINART PVT. LTD.

hybrid LIFESTYLE

hybrid LIFESTYLE




meghdoot
LAMINART PVT. LTD.





Over the years Meghdoot Laminart Pvt Ltd., has become synonymous with exquisite taste, unparalleled technology, and unmatched quality. Operating with the utmost in business ethics, we are known for our reliability and attention to detail on every deal making your experience with us authentically different. Our Founder and technology expert, Mr. P. K. Patel, and the team at MLPL, lend our expertise and passion for manufacturing to each laminate we produce. As a collective team, the designers create both modern and traditional designs with a unique twist, turning any space into a powerful expression of the client's personality.



hybrid LIFESTYLE

colours



meghdoot
LAMINART PVT. LTD.



hybrid LIFESTYLE


grains



1095



1132



1341



1422



1423




1355




1418



1290




1005




1226



1096



1230



1128



1131



meghdoot
LAMINART PVT. LTD.



hybrid LIFESTYLE

grains



2092



2093



1451



2096



1450



1447



2098



2097



2099



1745 STN



1746 STN



1764



2014 STN



2013 STN



1438



1336



1335



1728





hybrid LIFESTYLE

grains



2090 RM



2096 FB



2098 FB



2091 RM



2097 FB




2099 FB




1804 SS




1800 SS



104 LE



1805 SS




1807 SS




9114 LE




9112 SPR



9113 SPR



9115 SPR



9111 SPR



9114 SPR



meghdoot
LAMINART PVT. LTD.



hybrid LIFESTYLE

metals



MD 001



MD 004




MD 0013




MD 002



MD 003




White



Black



boards



Marker Board



Chalk Board



Backer



Micro
(Available in all solid colours)



Skate Board Ramp



compact



hybrid LIFESTYLE

Quality &
Certifications



TECHNICAL DATA					
NEMA Test		NEMA Standard		Meghdoot 0.8 mm, 1.0 mm Typical Test Value	
Wear Resistance	3.01	Min. Cycles	400	450	Min. Cycles 200
Scuff Resistance	3.02	Min. Cycles	NE	NE	Min. Cycles NE
Impact Resistance	3.03	Min. Inches	50	70	Min. Inches 20
Dimensional Change	3.04				
	% M.D. (Max)	0.5		0.21	0.7
	% C.D. (Max)	0.9		0.75	1.2
Boiling Water Resistance	3.05	Min. Rating	NE	NE	Min. Rating NE
High Tempt. Resistance	3.06	Min. Rating	SL	NE	Min. Rating SL
Radiant Heat Resistance	3.07	Min. Seconds	125	145	Min. Seconds 80
Conductive Heat Resistance	3.08	Min. Rating	NE	NE	Min. Rating NE
Stain Resistance	3.09				
	Reagents 1-23	Min. Rating	NE	NE	Min. Rating NE
	Reagents 24-29	Min. Rating	M	NE	Min. Rating M
Light Resistance	3.10	SL		NE	SL
Rating Systems • NE = No Effect • M = Moderate • SL = Slight Effect					





An ISO 9001 : 2008 Company

www.meghdootlaminart.com



meghdoot
LAMINART PVT. LTD.

Plot 88/89, NIDC Estate,
Lambha Road, Nr. Narol,
Ahmedabad 382405. Gujarat (India)
Phone: +91 79 25710096, 25711534 Fax: +91 79 25710262
E-mail: sales@meghdootlaminart.com
Website: www.meghdootlaminart.com